AILAS

To accompany

REPORT

to

INTERNATIONAL JOINT COMMISSION

Relating to

OFFICIAL REFERENCE

re

LAKE OF THE WOODS LEVELS

BY ARTHUR W. WHITE ADOLPH F. MEYER CONSULTING ENGINEERS

NTERNATIONAL JOINT COMMISSIC

Ec.H I 6144 ret

INTERNATIONAL JOINT COMMISSION (U.S. and Canada) 1909 -

Report to Italer national Tout Commission ,..

ATLAS

To accompany

REPORT

to

INTERNATIONAL JOINT COMMISSION

Relating to

OFFICIAL REFERENCE

LAKE OF THE WOODS LEVELS

ARTHUR V. WHITE ADOLPH F. MEYER

CONSULTING ENGINEERS

OTTAWA

GOVERNMENT PRINTING DEPARTMENT

1915

CONTENTS

Index Map of Lake of the Woods Sheets—Southerly Shore, showing Sheets 1 to 25. Scale: $\frac{1}{253,440}$ = 4 miles to 1 inch. Map showing Triangulation Control of Lake of the Woods and Shoal Lake Surveys. Scale: $\frac{1}{253,440} = 4$ miles to 1 inch. Lake of the Woods Sheets—Southerly Shore, Series of twenty-five sheets. Scale: $\frac{1}{24,000}$ = 2000 feet to 1 inch. Sheets Nos. 1-19 showing surveys from the Northwest Angle Inlet to Big Grassy No. 1. Northwest Angle Sheet. No. 11. Willow Creek Sheet. No. 2. Buckete Island Sheet. No. 12. Rocky Point Sheet. No. 3. Oak Island Sheet. No. 13. Long Point to Zippel No. 4. Garden Island Sheet. Sheet. No. 14. Zippel Sheet. No. 15. Four Mile Bay Sheet. No. 5. Driftwood to Stoney Sheet. No. 6. Stoney Creek Sheet. No. 16. McGinnis Creek Sheet. No. 17. Windy Point Sheet. No. 18. Little Grassy River Sheet. No. 7. Reed River Sheet. No. 8. Buffalo Point Sheet. No. 9. Elm Point Sheet. No. 10. Warroad Sheet. No. 19. Big Grassy River Sheet. Sheets Nos. 20–22 showing surveys of portions of Bigsby and Big Islands.
No. 20. Bigsby Island Sheet. No. 22. Big Island Sheet (West). No. 21. Big Island Sheet (East). Sheets Nos. 23–25 showing areas surveyed around Shoal Lake. No. 23. Hay River Sheet. | No. 25. Falcon No. 25. Falcon River Sheet. Rainy Lake Sheets, showing surveys of Portions of Shore of Rainy Lake in the vicinity of Rat Root River and Stanjikoming Bay. Series of four sheets. Scale: $\frac{1}{24,000} = 2000$ feet to 1 inch. Sheets Nos. 1–4. No. 1. Rat Root River Sheet. No. 3. Cranberry Bay Sheet. No. 4. Stanjikoming Bay Sheet. No. 2. Black Bay Sheet. Kettle Falls Sheets, showing surveys of Lakes above Kettle Falls. Series of four sheets. Scale: $\frac{1}{48,000}$ = 4000 feet to 1 inch. Sheets Nos. 1-4. No. 1. Kabetogama Lake Sheet. No. 2. Namakan Lake Sheet. No. 4. Little Vermilion Lake Sheet. No. 3. Sand Point Lake Sheet. Map showing surveys of Connecting Channels of Lakes above Kettle Falls. Plan showing Cross Sections of Overflow Channels between Kabetogama, Namakan and Rainy Lakes, also certain Sections in Channels at Kettle Falls. Scale: Vertical, 40 feet to 1 inch. Horizontal, 160 feet to 1 inch. Key Map of the Lake of the Woods Reconnaissance Sheets-Northerly Shore. Scale: $\frac{1}{323,000} = 5.1$ miles to 1 inch. Lake of the Woods Reconnaissance Sheets Northerly Shore. Sketches of Portions of Northerly Shore from Shoal Lake to Big Grassy River. Series of three sheets. Scale: $\frac{1}{24,000} = 2000$ feet to 1 inch.


Watershed Map of the Lake of the Woods, compiled mainly from maps of the Department of the Interior, Canada, and Map of the State of Minnesota, prepared (1912) by the United States Geological Survey.


No. 3. Sketches 134 to 190.

Scale: $\frac{1}{500,000} = 7.89$ miles to 1 inch.


No. 1. Sketches 1 to 75. No. 2. Sketches 76 to 133.

Sheets Nos. 1-3.







SHEET Nº 2



INTERNATIONAL JOINT COMMISSION LAKE OF THE WOODS LEVELS ADOLPH F. MEYER ARTHUR V. WHITE CONSULTING ENGINEERS SOUTHERLY SHORE LAKE OF THE WOODS FROM ' NORTHWEST ANGLE INLET TO BIG GRASSY RIVER 1913 - 1914 n 0 Scale: 24000 -2000 Feet to 1 Inch Surveys, including Tertiary Triangulation, made under the direction of Consulting Engineers by field staff in charge of J.L.Rannie, D.T.S. and G.M.Garen, C.E. Secondary Triangulation Control from International Boundary Commission Elevations are in feet above sea level datum (U.S.C. and G.S., 1912 adjustment) Depths are in feet below water surface elevation of 1060 0 0 4 Legend N 18 3


DRIFTWOOD TO STONEY SHEET






ELM POINT SHEET


SHEET Nº 9






PPEL SHE

Series of 25 sheets






INTERNATIONAL JOINT COMMISSION LAKE OF THE WOODS LEVELS ARTHUR V. WHITE ADOLPH F. MEYER CONSULTING ENGINEERS SOUTHERIY SHORE LAKE OF THE WOODS FROM NORTHWEST ANGLE INLET TO BIG GRASSY RIVER 1913-1914 Scale: 51000 - 2000 Feet to 1 Inch 2000 0 2000 4000 8000 Surveys, including Tertiany Triangulation, made under the direction of Computing Engineers by field staff in charge of J.L.Ramnic, D.T.S. and G.M. Garen, C.E. Secondary Triangulation Control from International Boundary Commission Elevations are in feet above sea level datum, (U.S.C. and G.S., 1912 adjustment) Depths are in feet below water surface elevation of 1060	0	D Peer Rect	Windy Point		A do	Reed Mars Sand Cution Peno- Inter Inven Loven Mona Secti	th. trace lands cs national boundary reprovincial boundary ty boundaries ship boundaries unents on corners (located)	
Pacific Pacifi	1		E R	100 (100 (100 (100 (100 (100 (100 (100	I S T	R I C	T	TOWNSHIP OF SPORIN TOWNSHIP OF ACROSSON
	\$\frac{4}{7}\$\$	₹ 4 7	1 6	VIII .	R 4	3	2	1
		₩		VII	a Lak overf to a tak overf to the old	In a was bardering the shore, where it 1000 are shoren in laned areas which are showing the street of the street o	ote of the Lake and subject to are a light blue that. The portains towared by broken, line of twaresed by broken, line of twaresed by broken, line of tware light with lines of the subject of tware lines of the subject of tware lines the subject of tware lines the subject of tware tware lines tware t	rtor at of such intours changes y what fleating ideo of hardine de edge ris edge, idences


Series of 25 sheets


WINDY POINT SHEET




SHEET Nº 20

BIGSBY ISLAND SHEET








Series of 25 sheets

HAY RIVER SHEET

RANGE 17 E. 32 BIG AND BIGSBY ISLANDS AND SHOAL LAKE LAKE OF THE WOODS INTERNATIONAL JOINT COMMISSION LAKE OF THE WOODS LEVELS TOWNSHIP 7 M ADOLPH F. MEYER ARTHUR V. WHITE CONSULTING ENGINEERS P SOUTHERLY SHORE AND PORTIONS OF 1913 - 1914 R 0 4 H I N D I A10 SNOWSHOE Legend N N D I A 0 B H A H Z Nº 40 R गा S , I 12 D < E N В K 0 I. R. Nº 39 A. TH \mathcal{F} M F T V 0

SHEET Nº 24


RICE BAY SHEET



IN VICINITY OF RAT ROOT RIVER AND STANJIKOMING BAY INTERNATIONAL JOINT COMMISSION
LAKE OF THE WOODS LEVELS
ARTHUR V. WHITE ADOLPH F. MEYER
CONSULTING ENGINEERS
PORTIONS OF SHORE RAINY LAKE 12 13 1914 RANGE 24 W. 4TH RANGE 23 W. 4TH 18 16 15 SHEET NO

RAT ROOT RIVER SHEET


BLACK BAY SHEE





CRANBERRY BAY SHEET


SHEET Nº 3


Kt _{an} ,	786 to notinvele centrals	Depths are in feet below w	IC IHAIME	H TOWNSHIP OF N	TOWNSHIP OF CROZIE
ANA LINEL GAMMAN LZ	der the direction of Consulting Engineers, famile, D.T.S., and G. M. Green, C. E. al. Boundary Commency of 1913 partiment of Public Works, Canada, datum. mm. (U.S. C. & G. S., 1912 adjustment).	L.A. to ogrando ur thais blod vi notinground most fortino anotinfiqueist [ed to bereder 1008] in one anotinvolts in fovel nose at combest or 10:110 bbA		οε	55
I. R. N. 9 16 A. 4.08	0000 Feet to I Inch				
aux rus ch	PIG STANJIKOMING BAY	BYL BOOT RIVER AND	- Control of the cont	The broken blue line represents the oute willows and match frowing up to the edge of his persents the webl-defined shortline stress have inte broken blue into and sign of 497 are shown in a light blue tint.	nig
The state of the s	IVILE OF			Note	
100	JOE J		3.5	TE	98 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	OL SHOKE	_	2 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		House and the state of the
000	этінW .V яинтяА	ADOLPH F. MEYER	0,4 2 4 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		
	MOODS FENERS NOINT COMMISSION		Harry No. 10 Mary 11 Company		
	este on other and on one of a superior of	The state of the s		TOWNSHIP OF MISCAME	of the section
AVE	N KEZEKAE NAI8B	AIGNI		8 V	
HSHVKAVH		0 1	The state of the s	L	N O
The state of the s	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	The Art of	The second		
		L O I	E DISTE	A X BIAE	RAIN
			20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$901	Triangulation station
					Monuments Section corners (located)
				-	swimbimod quisnwoI
AVE BVK	NIWONILVALZ	P10 30			Interprovincial boundary Comb boundaries
		1008		63,	Fractional boundary
		2	the second of the second of the	er e	Cultivated lands
	ANIVU	and the second	No Ie D	TELEGO.	лет. Втог
\mathcal{A} \mathcal{A} \mathcal{V} \mathcal{A}	A A I V A		EED RESERVE	HALF-BR	Gruss land
			22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	* A AAA AAAA	Mized Mized
		00 Det 2000	The state of the s	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Decidmons
			The state of the s	[_ 0 _ 0 _ 0 _ 0 _ 0 _ 0 _ 0 _ 0 _ 0 _	Гевенд
WOLONDOWN TO THISWAND		2 00 mm 1 00 m	on Brist	102 10 20 20 20 20 20 20 20 20 20 20 20 20 20	Li OF HALKIRK
TOWNSHIP OF FARRINGTON	Λ , *	The state of the s			म्बर्ग १ नहाँ
₽ 2	9 4	8 6	TILLTE OLLEBLIVIT T		ट
	2 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2		9.0		
	A ser of home of a coll ner all a		THE WOULD STATE OF THE STATE OF		IA
1 T 2 T 2 T 2 T 2 T 2 T 2 T 2 T 2 T 2 T	Λ	1 0 1		Second Se	
2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		200	BAE NO SE A	INDIAN RESE	
	00 00 00 00		000	Action to the state of the stat	d
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	00 00 00 00 00 00 00 00 00 00 00 00 00	TO HOW NAD		The state of the state of	
K.687	A STATE OF THE PARTY OF THE PAR	to a large of the first of the			{
K.588 G.190	K 292 K 291 K 290 K 283	and the same of th	and the state of t		1
16192 6191	74 90 70 0 0 THE ST	20 4 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	A STATE OF THE PARTY OF THE PAR		Part of the second seco
K.463 6.116	K'+67 K'+66 K'+65 K'+6+	485 433	to the state of th	to any part of the action of	D 11 50 0 12
GII 9		T E		Vol. S. mod	
	IHLSI	B			To make the same to the same t
	<u>т</u> л		The state of the s		And the state of t
			\$ (v & m = 1 m) (s	state of the state of	The same of the sa
82.9	нтяза язам	4	AND SECTION OF THE PARTY OF THE		Same of
© e . 28)[[нтязв язвм		Section 1	AVE LA	T E D C I
		4	Section 1	AL BVX	

















RECONNAISSANCE SHEET NO.

RECONNAISSANCE SHEET No. 2

